



OFFICE BUILDING  
U.G.V.C.L.

at NARODA URBAN/IND. SUB DIVISION  
NARODA  
1- SITE PLAN

COPY FOR EXECUTION

site copy office copy str. design copy

notes

- do not measure drawing.
- all dimensions must be checked on site & ambiguities if any should be brought to the notice of architect before commencement of work.
- if any alteration required, do not alter any dimension / detail without prior notice and permission.
- all drawings shall be read in conduction with relevant architectural & structural drawings.

specifications

- GROUND LEVEL SHALL BE AS PER SITE DEVELOPMENT PLAN.
- 7CBG-89F D5F?B: @ @ ' - ' S ' S ' a ' 5G DDF G ' S ' D'
- ALL DOOR, WINDOW & VENTILATION FRAME ARE MADE AS PER OPENING SCHEDULE DETAIL
- ALL TOILET VENTILATION FRAME ARE MADE FROM STONE AND ARE EXECUTED AS PER TILES LAY-OUT.
- CONSIDER WINDOW SILL LEVEL 1.0 m & LINTEL LEVEL 2.10m WHERE NOT SPECIFIED
- ALL DOOR LINTEL LEVEL ARE - 2.10

OPENING SCHEDULE

PERTL.	SIZE	SILL	LINTEL	FRAME	SPECIFICATION
DOOR	D1	0.90 m X 2.10 m	-	2.10 M	ALUMINIUM AND GLASS SHUTTER DOOR
	D2	0.75 m X 2.20 m	-	2.10 M	ALUMINIUM AND GLASS SHUTTER DOOR
	D3	0.87 m X 2.40 m	-	2.10 M	ALUMINIUM AND GLASS DOUBLE SHUTTER DOOR
WINDOW	MD	1.20 m X 2.40 m	-	2.40 M	ALUMINIUM AND GLASS SHUTTER DOOR
	W1	1.68 m X 1.20 m	0.90	2.10 M	STONE GLASS WITH ALU. SHUTTER DOOR
	W2	1.51 m X 1.20 m	0.90	2.10 M	STONE GLASS WITH ALU. SHUTTER DOOR
	W3	0.90 m X 1.20 m	0.90	2.10 M	STONE GLASS WITH ALU. SHUTTER DOOR
	W4	1.07 m X 1.20 m	0.90	2.10 M	STONE GLASS WITH ALU. SHUTTER DOOR
VENT.	W5	3.00 m X 1.50 m	0.60	2.10 M	STONE GLASS WITH ALU. SHUTTER DOOR
	V1	0.60 m X 0.60 m	1.50	2.10 M	STONE GLASS WITH ALU. LUVER

revisions

no.	date	description

drg no.	latest revision no.	latest issue date
WD:01		

date	drawn by	scale	N
	NIKUNJ	N. T. S.	

nirmaan ARCHITECTS ■ INTERIOR DESIGNERS  
C - 610, International Trade Centre,  
Majuragate, Ring Road, Surat - 395 002.  
E-mail :- architects.nirmaan@gmail.com  
P +91 - 261 - 307 70 70  
Ar. Nikunj Sayani +91 98255 40370  
Ar. himanshu parmar +91 94282 61765  
Ar. Pravin Patel +91 92279 02510