DEVELOPMENT OF DISTRIBUTION INFRASTRUCTURE AT GANDHINAGAR District of GUJARAT State UNDER REVAMPED REFORMS-BASED AND RESULTS-LINKED, DISTRIBUTION SECTOR SCHEME (Schedule of rates and prices)

Ex-works supply of materials

Bidder's Name & Address:

All prices in Indian Rupees

Α	Price Bid (Supply Portion)									
Line Item	Description	Unit	Qty	Unit Ex- works price	Total Ex-works price	Unit Price for inland transportation and other services required in India to convey the Goods to their final destination	Total Price for inland transportation and other services required in India to convey the Goods to their final destination	GST payable on the price quoted if Contract is awarded (%)	GST payable on the price quoted if Contract is awarded (Amount)	Total Price per line item
A (I)	Augmentation, Renovation & Modernisation of 11/0.4 kV Distribution Transformer Substation (Augmentation of Distribution Transformer Substation (ASSUMING 25 YEARS OF LIFE AND 10 YEARS IN SERVICE) using New Distribution Transformer (three star) as per technical specifications, approved drawings and scope of the work. Replaced material to be deposited in Employer's store)									
1.01	New 63 KVA (11/0.4 kV) Aluminium wound DTR (Replacing 25KVA old DTR),	No	26		0.00	0.00	0.00	18.00%	0.00	0.00
1.02	New 100 KVA (11/0.4 kV) Aluminium wound DTR (Replacing 63 KVA old DTR),	No	79		0.00	0.00	0.00	18.00%	0.00	0.00
1.03	New 200 KVA (11/0.4 kV) Aluminium wound DTR (Replacing 100 KVA old DTR),	No	44		0.00	0.00	0.00	18.00%	0.00	0.00
1.04	New 500 KVA (11/0.4 kV) Copper wound DTR (Replacing 200 KVA old DTR),	No	3		0.00	0.00	0.00	18.00%	0.00	0.00
A(II)	11kV Crossing Removal (Safety)									
2.01	11kV Crossing with associated activities and quantities as per separately attached Bill of Quantities and as per technical specification, approved drawings and scope of work	kM	9.825		0.00	0.00	0.00	18.00%	0.00	0.00
	accumical specimental, approved drawings and scope of work									
A (III)	Maintenance free, Ready capsule, Pipe-in-cage (PiC) type earthing									
3.01	Maintenance free, Ready capsule, Pipe-in-cage (PIC) type earthing and connections to the various parts of transformer center using GI Strip and GI Nut Bolts as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities	No	1335		0.00	0.00	0.00	18.00%	0.00	0.00
A (IV)	Interlinking of 11kV Feeder (Reliability)									
4.01	Supply of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification for normal laying work with as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	kM	1.731		0.00		INEO	8.0	0.00	0.00
4.02	Supply of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification with HDPE ducts confirming to 15:4984 having dia OD 110 mm, 6kg/cm2, 11.63 kg/6 RMT at a minimum depth of 1200mm below the road surface by pushthrough method with as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	kM	0.748		0.00	0.00	0.00	18.00%	0.00	0.00
4.03	RMU: Supply of 2 Isolator (2-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Ouantities.	No	7		0.00	0.00	0.00	18.00%	0.00	0.00
4.04	RMU: Supply of 1 Circuit Breaker 2 Isolator (3-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RPU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	6		0.00	0.00	0.00	18.00%	0.00	0.00
4.05	RMU: Supply of 1 Circuit Breaker 3 Isolator (4-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	2		0.00	0.00	0.00	18.00%	0.00	0.00
							, and the second			

DEVELOPMENT OF DISTRIBUTION INFRASTRUCTURE AT GANDHINAGAR District of GUJARAT State UNDER REVAMPED REFORMS-BASED AND RESULTS-LINKED, DISTRIBUTION SECTOR SCHEME (Schedule of rates and prices)

Ex-works supply of materials

Bidder's Name & Address:

All prices in Indian Rupees

Α	Price Bid (Supply Portion)									
Line Item	Description	Unit	Qty	Unit Ex- works price	Total Ex-works price	Unit Price for inland transportation and other services required in India to convey the Goods to their final destination	Total Price for inland transportation and other services required in India to convey the Goods to their final destination	GST payable on the price quoted if Contract is awarded (%)	GST payable on the price quoted if Contract is awarded (Amount)	Total Price per line item
A (V)	Overhead to Underground Electrification Network having associated activities like laying of 11kV XLPE Cable. Ring Main Units. Distribution Transformers etc. as per Bill of Quantity									
6.01	Supply of 11 kV _i (E),XIPE insulated Aluminium Conductor, Armoured cable 3 core 240 sq. mm. as per enclosed specification for normal laying work with as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	kM	53.560		0.00	0.00	0.00	18.00%	0.00	0.00
6.02	Supply of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 240 sq. mm. as per enclosed specification with HDPE ducts confirming to IS:4984 having dia OD 110 mm, 6kg/cm2, 11.63 kg/6 RMT at a minimum depth of 1200mm below the road surface by pushthrough method with as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	kM	35.700		0.00	0.00	0.00	18.00%	0.00	0.00
6.03	Supply of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable as per enclosed specification 3 core 70 sq. mm. for TC termination (RMU to TC) as per technical specification, approved drawings and scope of work as well as one statched bill of quantities	kM	5.74		0.00	0.00	0.00	18.00%	0.00	0.00
6.04	Providing of XLPE(IS:7098) (I)-88 ISI marked multistrand Aluminium conductor armoured cable for 1.1 kV to be laid on pole with HDPE pipe with clamping or in ground as wlell as existing cable trench/pipe at road crossing of IC x 300 Sq MM, as per technical specification, approved drawings and scope of work as well as attached bill of quantities	kM	17.22		0.00	0.00	0.00	18.00%	0.00	0.00
6.05	RMU: Supply of 1 Circuit Breaker 2 Isolator (3-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	253		0.00	0.00	0.00	18.00%	0.00	0.00
6.06	RMU: Supply of 1 Circuit Breaker 3 Isolator (4-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	64		0.00	0.00		NE _" O		0.00
6.07	RMU: Supply of 1 Circuit Breaker 4 Isolator (5-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	6		0.00	0.00				0.00
6.08	Transformer: Supply of 11/0.433 KV, 100 kVA, Alunium Wound CRGO / Amorphous Core Outdoor Transformers with HV/LV cable end boxes and CTs commissioned at LV end boxes for the following ratings [Transformer shall be suitable for pole mounting upto 315 kVA and Plinth mounting for 500 kVA (including plinth structure)] as per standard technical specifications with associated activities and quantities as per separately attached Bill of Quantities	No	191		0.00	0.00	0.00	18.00%	0.00	0.00
6.09	Transformer: Supply of 11/0.433 KV, 200 kVA, Alunium Wound CRGO / Amorphous Core Outdoor Transformers with HV/LV cable end boxes and CTs commissioned at LV end boxes for the following ratings [Transformer shall be suitable for pole mounting upto 315 kVA and Plinth mounting for 500 kVA (including plinth structure)] as per standard technical specifications with associated activities and quantities as per separately attached Bill of Quantities.	No	61		0.00	0.00	0.00	18.00%	0.00	0.00
6.10	Transformer: Supply of 11/0.433 KV, 315 kVA, Copper Wound CRGO / Amorphous Core Outdoor Transformers with HV/LV cable end boxes and CTs commissioned at LV end boxes for the following ratings [Transformer shall be suitable for pole mounting upto 315 kVA and Plinth mounting for 500 kVA (including pinth structure)] as per standard technical specifications with associated activities and quantities as per separately attached Bill of Quantities.	No	11		0.00	0.00	0.00	18.00%	0.00	0.00
6.11	Transformer: Supply of 11/0.433 KV, 500 kVA, Copper Wound CRGO / Amorphous Core Outdoor Transformers with HY/LV cable end boxes and CTs commissioned at LV end boxes for the following ratings [Transformer shall be suitable for pole mounting upto 315 kVA and Plinth mounting for 500 kVA (including plinth structure)] as per standard technical specifications with associated activities and quantities as per separately attached Bill of Quantities.	No	24		0.00	0.00	0.00	18.00%	0.00	0.00
	Total Ex-works				0.00		0.00		0.00	0.00
	Total Ex Horiz								****	

Note:

DEVELOPMENT OF DISTRIBUTION INFRASTRUCTURE AT GANDHINAGAR District of GUJARAT State UNDER REVAMPED REFORMS-BASED AND RESULTS-LINKED, DISTRIBUTION SECTOR SCHEME

(Schedule of rates and prices)

Bidder's Name & Address:

Installation / Erection Charges : All prices in Indian Rupees

	rection Charges :		All prices in Inc	lian Rupees			
Α	Price Bid (Installation / Erection Portion)						
Service No.	Description of Related Services (excludes inland transportation and other services required in India to convey the goods to their final destination)	Unit	Quantity	Unit price	GST payable on the price quoted if Contract is awarded (%)	GST payable on the price quoted if Contract is awarded (Amount)	Price per line item
1	2	3	4	5	6	7	8
A (I)	Augmentation, Renovation & Modernisation of 11/0.4 kV Distribution Transformer Substation (Augmentation of Distribution Transformer Substation (ASSUMING 25 YEARS OF LIFE AND 10 YEARS IN SERVICE) using New Distribution Transformer (three star) as per technical specifications, approved drawings and scope of the work. Replaced material to be deposited in Employer's store)						
1.01	Installation of New 63 KVA (11/0.4 kV) Aluminium wound DTR (Replacing 25KVA old DTR),	No	26		18.00%	0.00	0.00
1.02	Installation of New 100 KVA (11/0.4 kV) Aluminium wound DTR (Replacing 63 KVA old DTR),	No	79		18.00%	0.00	0.00
1.03	Installation of New 200 KVA (11/0.4 kV) Aluminium wound DTR (Replacing 100 KVA old DTR),	No	44		18.00%	0.00	0.00
1.04	Installation of New 500 KVA (11/0.4 kV) Copper wound DTR (Replacing 200 KVA old DTR),	No	3		18.00%	0.00	0.00
A (II)	11kV Crossing Removal (Safety)						
2.01	Installation, Testing & commissioning of 11kV Crossing with associated activities and quantities as per separately attached Bill of Quantities and as per technical specification, approved drawings and scope of work	kM	9.825		18.00%	0.00	0.00
2.02	RCC CABLE TRENCH: Construction of RCC cable trench (Three tier / Four tier) as per approved design and drawing and as per directives of engineer-in-charge with required excavation as per site condition, Base concreting, providing and laying of reinforcement as per design, concreting of M-20 grade for Pardi and Raft, Precast R cover of 75 mm thick, fabrication of cable tray as per design with one coat of red oxide and two coats of opaintaing to structural steel, two coats of waterproof cement paint to all inside, outside surfaces of cable tray with top cover. the work to be done as per drawing and PWD specification. Detail description of major civil work activities involved are as under.	N er	LIN	E		V 0.00	0.00
2.03	RCC Stopper Wall at end of cable trench: Construction of 150 mm thick RCC stopper wall at end of cable trench as per approved drawing in cement concrete 1:2:4 including TMT bar reinforcement main/vertical bars and distribution bar of 8 mm dia @ 200 mm c/c both side including bending, binding and placing in position as per drawing and form work of steel sheets so as to give a fair finish including centering, shuttering, strutting and propping etc including providing & fixing 110 mm dia. PVC pipe(6 kg/cm2) of 400mm length across the stopper wall with coupler & plug for future cable laying etc complete as per drawing and as directed by EIC.	JOB	10		18.00%	0.00	0.00
. ()							
A (III)	Maintenance free, Ready capsule, Pipe-in-cage (PiC) type earthing						
3.01	Erection, testing and Commissioning of Maintenance free, Ready capsule, Pipe-in-cage (PiC) type earthing and connections to the various parts of transformer center using GI Strip and GI Nut Bolts as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Ouantities	No	1335		18.00%	0.00	0.00

DEVELOPMENT OF DISTRIBUTION INFRASTRUCTURE AT GANDHINAGAR District of GUJARAT State UNDER REVAMPED REFORMS-BASED AND RESULTS-LINKED, DISTRIBUTION SECTOR SCHEME

(Schedule of rates and prices)

Bidder's Name & Address:

Installation / Erection Charges : All prices in Indian Rupees

Price Bid (Installation / Erection Portion)						
Description of Related Services (excludes inland transportation and other services required in India to convey the goods to their final destination)	Unit	Quantity	Unit price	GST payable on the price quoted if Contract is awarded (%)	GST payable on the price quoted if Contract is awarded (Amount)	Total Price per line item
2	3	4	5	6	7	8
Interlinking of 11kV Feeder (Reliability)						
Installation, Testing & commissioning of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification for normal laying work with as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	kM	1.731		18.00%	0.00	0.00
Installation, Testing & commissioning of 11 kV,(E), XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification with HDPE ducts confirming to IS:4984 having dia OD 110 mm, 6kg/cm2, 11.63 kg/6 RMT at a minimum depth of 1200mm below the road surface by pushthrough method by drilling the road with HDD machine without breaking the road surface for laying of cable for internal road crossing for enclosing HT/LT XLPE insulated aluminum armoured cable up to 240 sqmm through the duct as per the instructions of EIC as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	kM	0.748		18.00% IE O	0.00	0.00
RMU: Installation, Testing & Commissioning of 2 Isolator (2-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	7		18.00%	0.00	0.00
RMU: Installation, Testing & Commissioning of 1 Circuit Breaker 2 Isolator (3-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	6		18.00%	0.00	0.00
RMU: Installation, Testing & Commissioning of 1 Circuit Breaker 3 Isolator (4-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	2		18.00%	0.00	0.00
	Description of Related Services (excludes inland transportation and other services required in India to convey the goods to their final destination) 2 Interlinking of 11kV Feeder (Reliability) Installation, Testing & commissioning of 11 kV, (E), XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification for normal laying work with as per technical specification, approved drawings and scope of work as well as attached bill of quantities. Installation, Testing & commissioning of 11 kV, (E), XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification with HDPE ducts confirming to 15:4984 having dia OD 110 mm, 6kg/cm2, 11.63 kg/6 RMT at a minimum depth of 1200mm below the road surface by pushthrough method by drilling the road with HDD machine without breaking the road surface for laying of cable for internal road crossing for enclosing HT/LT XLPE insulated aluminum armoured cable up to 240 sqmm through the duct as per the instructions of EIC as per technical specification, approved drawings and scope of work as well as attached bill of quantities. RMU: Installation, Testing & Commissioning of 2 Isolator (2-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities. RMU: Installation, Testing & Commissioning of 1 Circuit Breaker 2 Isolator (3-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities. RMU: Installation, Testing & Commissioning of 1 Circuit Breaker 3 Isolator (4-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated a	Description of Related Services (excludes inland transportation and other services required in India to convey the goods to their final destination) 2 3 Interlinking of 11kV Feeder (Reliability) Installation, Testing & commissioning of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification for normal laying work with as per technical specification, approved drawings and scope of work as well as attached bill of quantities. Installation, Testing & commissioning of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification with HDPE ducts confirming to IS:4984 having dia OD 110 mm, 6kg/cm2, 11.63 kg/6 RMT at a minimum depth of 1200mm below the road surface by pushthrough method by drilling the road with HDD machine without breaking the road surface for laying of cable for internal road crossing for enclosing HT/LT XLPE insulated aluminum armoured cable up to 240 sqmm through the duct as per the instructions of EIC as per technical specification, approved drawings and scope of work as well as attached bill of quantities. RMU: Installation, Testing & Commissioning of 1 Circuit Breaker 2 Isolator (3-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities. RMU: Installation, Testing & Commissioning of 1 Circuit Breaker 2 Isolator (3-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities. RMU: Installation, Testing & Commissioning of 1 Circuit Breaker 2 Isolator (4-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work wit	Description of Related Services (excludes inland transportation and other services required in India to convey the goods to their final destination) 2 3 4 Interlinking of 11kV Feeder (Reliability) Installation, Testing & commissioning of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification for normal laying work with as per technical specification, approved drawings and scope of work as well as attached bill of quantities. Installation, Testing & commissioning of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification with HDPE ducts confirming to 15:4984 having dia OD 110 mm, 6kg/cm2, 11.63 kg/6 RMT at a minimum depth of 1200mm below the road surface by pushthrough method by drilling the road with HDD machine without breaking the road surface for laying of cable for internal road crossing for enclosing HT/LT XLPE insulated aluminum armoured cable up to 240 sqmm through the duct as per the instructions of EIC as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities. RMU : Installation, Testing & Commissioning of 1 Circuit Breaker 2 Isolator (3-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities. RMU : Installation, Testing & Commissioning of 1 Circuit Breaker 2 Isolator (3-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings No 6 RMU : Installation, Testing & Commissioning of 1 Circuit Breaker 3 Isolator (4-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings	Description of Related Services (excludes inland transportation and other services required in India to convey the goods to their final destination) 2	Description of Related Services (excludes inland transportation and other services required in India to convey the goods to their final destination) 1	Description of Related Services (excludes inland transportation and other services required in India to convey the goods to their final destination) Linit Price GST payable on the price quoted if Contract is awarded (%) Installation, Testing & commissioning of 11 kV, (E), XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification in for normal laying work with as per technical specification, approved drawings and scope of work as well as attached bill of quantities. Installation, Testing & Commissioning of 11 kV, (E), XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification with HDPE ducts confirming to IS-498 having dia OD 110 mm, 6kg/cm2, 11.63 kg/6 RMT at a minimum depth of 1200mm below the road surface by pushthrough method by drilling the road with HDD machine without breaking the road surface for laying of cable for internal road crossing for enclosing HT/LT XLPE insulated aluminium armoured cable up to 240 sqmm through the duct as per the instructions of EIC as per technical specification, approved drawings and scope of work as well as attached bill of quantities. RMU: Installation, Testing & Commissioning of 2 Isolator (2-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities. RMU: Installation, Testing & Commissioning of 1 Circuit Breaker 2 Isolator (3-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities. RMU: Installation, Testing & Commissioning of 1 Circuit Breaker 3 Isolator (4-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and s

DEVELOPMENT OF DISTRIBUTION INFRASTRUCTURE AT GANDHINAGAR District of GUJARAT State UNDER REVAMPED REFORMS-BASED AND RESULTS-LINKED, DISTRIBUTION SECTOR SCHEME (Schedule of rates and prices)

Bidder's Name & Address:

Installation / E	stallation / Erection Charges : All prices in Indian Rupees						
Α	Price Bid (Installation / Erection Portion)						
Service No.	Description of Related Services (excludes inland transportation and other services required in India to convey the goods to their final destination)	Unit	Quantity	Unit price	GST payable on the price quoted if Contract is awarded (%)	GST payable on the price quoted if Contract is awarded (Amount)	Total Price per line item
1	2	3	4	5	6	7	8
A (V)	Overhead to Underground Electrification Network having associated activities like laying of 11kV XLPE Cable, Ring Main Units, Distribution Transformers etc. as per Bill of Quantity						
6.01	Installation, Testing & commissioning of 11 kV,(E), XLPE insulated Aluminium Conductor, Armoured cable 3 core 240 sq. mm. as per enclosed specification for normal laying work with as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	KM	53.560		18.00%	0.00	0.00
6.02	Installation, Testing & commissioning of 11 kV,(E), XLPE insulated Aluminium Conductor, Armoured cable 3 core 240 sq. mm. as per enclosed specification with HDPE ducts confirming to IS:4984 having dia OD 110 mm, 6kg/cm2, 11.63 kg/6 RMT at a minimum depth of 1200mm below the road surface by pushthrough method by drilling the road with HDD machine without breaking the road surface for laying of cable for internal road crossing for enclosing HT/LT XLPE insulated aluminum armoured cable up to 240 sqmm through the duct as per the instructions of EIC as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	КМ	35.700		18.00%	0.00	0.00
6.03	Installation, Testing & commissioning of 11 kV,(E), XLPE insulated Aluminium Conductor, Armoured cable as per enclosed specification 3 core 70 sq. mm. for TC termination (RMU to TC) as per technical specification, approved drawings and scope of work.	KM	5.74		18.00%	0.00	0.00
6.04	Erecting of XLPE(IS:7098) (I)-88 ISI marked multistrand Aluminium conductor armoured cable for 1.1 kV to be laid on pole with HDPE pipe with clamping or in ground as wlell as existing cable trench/pipe at road crossing of 1C x 300 Sq MM, as per technical specification, approved drawings and scope of work.	KM	17.22		18.00%	0.00	0.00
6.05	RMU: Installation, Testing & Commissioning of 1 Circuit Breaker 2 Isolator (3-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	253	NE	18.00%	0.00	0.00
6.06	RMU: Installation, Testing & Commissioning of 1 Circuit Breaker 3 Isolator (4-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	64		18.00%	0.00	0.00
6.07	RMU: Installation, Testing & Commissioning of 1 Circuit Breaker 4 Isolator (5-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	6		18.00%	0.00	0.00
6.08	Transformer: Installation, Testing & Commissioning of 11/0.433 KV, 100 kVA, Alunium Wound CRGO / Amorphous Core Outdoor Transformers with HV/LV cable end boxes and CTs commissioned at LV end boxes for the following ratings [Transformer shall be suitable for pole mounting upto 315 kVA and Plinth mounting for 500 kVA (including plinth structure)] as per standard technical specifications with associated activities and quantities as per separately attached Bill of Quantities.	No	191		18.00%	0.00	0.00

DEVELOPMENT OF DISTRIBUTION INFRASTRUCTURE AT GANDHINAGAR District of GUJARAT State UNDER REVAMPED REFORMS-BASED AND RESULTS-LINKED, DISTRIBUTION SECTOR SCHEME

(Schedule of rates and prices)

Bidder's Name & Address:

Installation / Erection Charges : All prices in Indian Rupees

	Price Bid (Installation / Erection Portion)		All prices in the	aidii Rupees			
Service No.	Description of Related Services (excludes inland transportation and other services required in India to convey the goods to their final destination)	Unit	Quantity	Unit price	GST payable on the price quoted if Contract is awarded (%)	GST payable on the price quoted if Contract is awarded (Amount)	Total Price per line item
1	2	3	4	5	6	7	8
6.09	Transformer: Installation, Testing & Commissioning of 11/0.433 KV, 200 kVA, Alunium Wound CRGO / Amorphous Core Outdoor Transformers with HV/LV cable end boxes and CTs commissioned at LV end boxes for the following ratings [Transformer shall be suitable for pole mounting upto 315 kVA and Plinth mounting for 500 kVA (including plinth structure)] as per standard technical specifications with associated activities and quantities are represented by a standard technical specifications with associated activities and quantities. Transformer: Installation, Testing & Commissioning of 11/0.433 KV, 315 kVA, Copper Wound CRG (A) fractional core outdoor Transformers with HV/LV cable end boxes and CTs commissioned at LV end boxes to following plinth structure)] as per standard technical specifications with associated activities and quantities as per separately attached Bill of Ouantities.	No No	61 N-E-	0	18.00% 18.00%	0.00	0.00
6.11	Transformer: Installation, Testing & Commissioning of 11/0.433 KV, 500 kVA, Copper Wound CRGO / Amorphous Core Outdoor Transformers with HV/LV cable end boxes and CTs commissioned at LV end boxes for the following ratings [Transformer shall be suitable for pole mounting upto 315 kVA and Plinth mounting for 500 kVA (including plinth structure)] as per standard technical specifications with associated activities and quantities as per separately attached Bill of Quantities.	No	24		18.00%	0.00	0.00
	Total					0.00	0.00

DEVELOPMENT OF DISTRIBUTION INFRASTRUCTURE AT GANDHINAGAR District of GUJARAT State UNDER REVAMPED (GRAND SUMMARY)

Bidder's Name and Address:

SI. No.	Description	Total Price (Rs.)
1 2	TOTAL SCHEDULE NO. 1 Plant and Equipment TOTAL SCHEDULE NO. 2	0.00
	Installation / Erection Charges	0.00
3	TOTAL [1+2]	0.00
4	Discount offerred by Bidder(If any)	
5	Schedule No 3: GRAND TOTAL [3 - 4]	

Date:	Signature:

Place: Printed Name:

Designation:

Common Seal:

DEVELOPMENT OF DISTRIBUTION INFRASTRUCTURE AT GANDHINAGAR District of GUJARAT State UNDER REVAMPED REFORMS-BASED AND RESULTS-LINKED, DISTRIBUTION SECTOR SCHEME

bidder's Name and Address (Sole bidder):	10:
	XXXX (Name and Address of Employer)
Name:	
Address:	
Dear Sir,	

We declare that the ratings, performance figures and availability of the system furnished by us for subject Package covered under this specification are guaranteed by us. We further declare that in the event of any deficiencies in meeting the guarantees in respect of the characteristics mentioned below as established after conducting the factory test, you may at your discretion, reject or accept the equipment after assessing the liquidated damages as specified in the relevant clauses of Bid document.

	Guaranteed losses at rated output (KW per unit)						
Equipment	Copper/Aluminium Loss at 75 degree C at rated current	Iron loss at rated voltage and frequency					
Distribution Transformers: (For Replacement / Augmentation of Overhead Transformer & for OH to UG Distribuiton Network)							
63KVA, 11/0.433kV, 3ph							
100KVA, 11/0.433kV, 3ph							
200KVA, 11/0.433kV, 3ph							
315KVA, 11/0.433kV, 3ph							
500KVA, 11/0.433kV, 3ph							

(Signature)

(Printed Name)

(Designation) Date Place

(Common Seal)