

Save Energy for Benefit of Self and Nation

UGVCL
Uttar Gujarat Vij Company Ltd.



PR NO	325503
RFQ NO	44593

ADVERTISED TENDER

TO,
M/s _____

Name of Work : Annual Rate Contract for Providing labour charges for underground work for laying 11KV XLPE cable under Patan City-2 SDn, Division Office Patan UGVCL

Estimate cost.	Rs. 499400
Earnest Money.	Rs. 5000
Security Deposit.	5 % of Order value
Last date of receipt of tender at	Date :- 08/08/2017 On 15.00 Hrs.
Date of opening the tender at	Date :- 09/08/2017 On 17.00 Hrs.(If Possible)
Type of tender	Item Rate.
Tender Fee	Rs. 500 + 18% GST
Time Limit.	365 Days

Earnest money deposit will be accepted in cash or by demand draft on any schedule bank at PATAN in favour of UTTAR GUJARAT VIJ COMPANY LIMITED, cheques or Bank guarantee will not be accepted.

Tender received through RPAD will be accepted.

SUPDT.ACCTT.
UGVCL, DO, PATAN

EXECUTIVE ENGINEER
UGVCL, DO, PATAN

SCHEDULE-B

SR NO	ITEAM CODE	ITEAM DESCRIPTION	UNIT	QTY	RATE	AMOUNT
1	9500000004	Labour charges for Horizontal: State / NH/ TAR Road crossing by push through method at a depth of minimum 4 feet from Ground level & using G.I pipe of size 100/150 mm. The rates are Excluding pipe. Only cable will be supplied by UGVCL.	MTR	20	1100	22000
2	9500000004	LAYING OF UNDER GROUND XLPE - HT/ LT CABLE INCLUDING DIGGING OF PIT(4 FT), LAYING OF CABLE WITH PROVIDING CABLE TRENCH WITH BRICKS & SAND, PROVIDING OF CABLE INDICATOR, CARTING	MTR	1205	305	367525
3	9500000004	supply of 100mm dia (4 ") G.I pipe of good quality & ISI mark UGVCL approved (i.e ASIAN pipe or equivalent blue border patta) thickness 5 mm & weight per meter 11 KG for cable guard	MTR	20	700	14000
4	9500000001	Supply of route marker of 150mm x 150mm concrete stone UGVCL marked embedded in earth at, at least 300mm below the ground level and 450mm above ground level at distance of approx. 30 meters along the length of cable. The route marker should be painted with UGVCL's blue colour The rate is inclusive of cost of paint.	Each	50	250	12500
5	9500000001	Providing all necessary fitting like wooden clamp, nut bolts etc. for Laying of 11 KV XLPE Cable open to air.	Each	50	320	16000
6	9500000001	Supply of HT push on/heat shrink type straight joint preferably 3m(m-seal) or Raychem make or equivalent for 3 core 185 Sq mm 11 KV XLPE aluminium conductor armoured cable as specified with connection of leads including cutting stripping of cable insulations providing compression type terminals crimping of lugs with suitable crimping tool	Each	2	7500	15000

7	9500000001	Supply of HT push on/heat shrink type Outdoor cable kit preferably 3m(m-seal) or Raychem make or equivalent for 3 core 185 Sq mm 11 KV XLPE aluminium conductor armoured cable as per specified	Each	4	3000	12000
8	9500000001	Providing material for Earthing of cable using G I Pipe, good quality and as per specification.	Each	10	2200	22000
9	9500000001	LAYING OF XLPE - HT/ LT CABLE OPEN TO AIR GROUNG TO GENTRYINCLUDING XLPE - HT/ LT CABLE OPEN TO AIR GROUNG TO GENTRY INCLUDING	MTR	105	175	18375
Total RS.						499400

The rates quoted are_____% above/bellow to the scheduled rates as shown in SCHEDULE -B above.

**Executive Engineer
Patan**

Contractor's Signature.

Submit following documents with Technical bid.

Technical Bid should be submitted with documents as under, failing to which tender shall be Liable for rejection.

- (i) The Contractor must have UGVCL valid vendor Registration Certificate for participating in respective Tender and copy thereof must be attached with/in TECHNICAL BID.
- (ii) Solvency certificate issued from any Nationalized Bank amounting to sum equivalent of estimated cost
- (iii) Separate EPF code No. allotted by RPFC & Last Six month of current year EPF Challan Paid copy is required.
- (iv) GST registration if applicable
- (v) Experience certificate as per requirement for above work by authorized Officer – NOT BELLOW THE RANK OF EXECUTIVE ENGINEER- of Distribution Company.
- (vi) Group Insurance – copy of the insurance policy of the insured labourer’s under W.C. Act.
- (vii) At least Rs. 5.00 Lacs turn over For the Year 2016-17 AND/OR of current year 2017-18
- (viii) Attested copy of power of attorney, if any, for signing the bid documents, if partnership firm/company.
- (ix) Contractor should produce PAN CARD Copy.
- (x) Tender Fee Amt. & EMD amount & DD No. & Date should be mentioned on Cover of Tender fee & EMD with Technical bid cover.
- (xi) In case of non-inclusion of any of the attachment with technical bid, the tender will be liable for rejection.

- (xii) Payment of Bills will be made through REAL TIME GROSS SETTLEMENT (RTGS) System while submission of bill prescribed RTGS form shall have to be submitted for each Bill by Contractor/Agency.
- (xiii) Contractor shall have to work if required in jurisdiction of other Sub Division under Patan Division
- (xiv) Penalty clause: in case, the work is not completed within the period stipulated in the sub work order, penalty shall be levied at 0.5 per week on the total sub work order subject to maximum 10 % of respective sub work order.

Executive Engineer UGVCL, Patan Division reserved the right to reject any OR all tenders without assigning any reasons thereof

**Executive Engineer,
UGVCL, PATAN Division**

GENERAL CONDITION

1) Earnest Money Deposit

- a) Earnest money (1% of the estimated cost) as indicated on the face sheet should be paid by the tender along with the tender in cash or by D/D on any schedule Bank in favour of “UGVCL” in which case receipt shall be attached with tender.
- b) Tender will be rejected if E.M.D is not paid.
- c) Earnest money deposit will be forfeited in case the successful tenderer after his tender has been accepted shall refuse to pay the prescribed security deposit and execute the contract.

2) Acceptance of Tenders

The Company does not bind itself to accept the lowest or any tender either will any reason be assigned for the rejection; it is also not binding on the Company to disclose any analysis report on the tender.

3) Security Deposit:

The lowest tenderer whose tender is accepted shall have to pay 5% Security Deposit of the tender cost, in cash within 10 days from the receipt of the acceptance order. In case successful bidder falls, his earnest money will be forfeited and order cancelled without issuing any notice.

4) Contract documents:

The lowest tenderer whose tender is accepted will have to execute a stamped agreement in standard form of the Company and will have to discharge (sign) the booklet at his own cost. In case of partnership firms, necessary partnership documents will have to be produced for verification on authority to sign the bills measurements enter and into contract as well correspondence with the Company Wherever required necessary power of attorney will have to be produced.

5) Jurisdiction

Any dispute of difference arising out of or in connection with the contract if concluded shall be subject to the exclusive jurisdiction of Patan.

6) Materials: Materials are to be supplied at Patan Division Store/ SDn Store.

7) General

All tenderers must be submitted in forms provided by this office and must be clearly and legibly filled in. The tenders should be filled in ink. The tenderers are requested to sign wherever mentioned in tender and schedule or rate and if not signed the tender should be rejected.

8) Penalty of late work:

Penalty will be lay able as per Company's rules in force, by time to time.

9) The rate should be quoted in percentage higher/lower rate to rate

10) Additions and alterations of any kind in tender forms conditions etc. by the tenderer without the consent of the undersigned is not permissible.

11) Totaling up of figures

While quoting the rate per unit against each item tenderness are required to give total cost against each item as well as grand total of the work.

12) Addressing Tenders

Tenders must be submitted in envelopes which must be properly sealed by the tenderer with their office seal and must be super scribed with following.

[a] Tender No. [b] Opening date and time of the tender. [C] Technical Bid or Price Bid.

It is responsibility of the tenderer to see that the tenders received in the Company's office by RPAD only, within the stipulated time and date.

13) The company's General conditions of contract will apply to all the successful bidders and he is deemed to be fully aware of company's general conditions of the contract for the work in respect of security deposit, terms of payments, penalty for the delivery of supplier etc. and any ignorance of these conditions will not exempt the successful bidder from the company's Rules and regulations in force.

14) Deviation of Specification

Preference will be given to tendering firms whose rates are in accordance to the tender Specifications.

15) Terms of Payments:

The Bill shall be submitted by the successful bidder after completion of entire ordered work with the supply.

16) Recording of measurements in the presence of successful bidder:

a. In cases of supply/works carried out satisfactorily by the bidder, the bidder by prior intimation from the Company's officers, shall have to witness the recording the measurements on the appointment date within one month of completion of supply either the conditions as specification vide condition No.5 read with condition No.4[b] or tender and supply for works.

b. The company's booklet of tender conditions shall apply and the recording of measurements shall be done within one month of completions of work after replacement of defect by the Company at the contractor's cost, as the case may be and any further delay in the recording of measurement and finalization of the bill due to the fault of the bidder shall be subject to the conditions as laid down in Clause [a].

17) Extension of Time limit:

The time limit for supplying materials is within 30 days from the date of issuing the orders. Extension of time limit if for any reasons, the successful bidder is not in position to carry out the work within the stipulated period , he should put his application to the Engineer-in-charge before one month of expiry of the stipulated time limit or Completion of work for the extension of time limit giving valid reasons for the required extension.

TERMS AND CONDITIONS:

1. The successful bidder will have to give the following under taking:
2. Should this tender be accepted, I/We hereby agree to abide by fulfil all the terms and provisions of the Tender and Contractor of supply as applicable and in default thereof to forfeit and pay to the Company the sum of money due.
3. The full value of Earnest money deposit paid there with should be absolutely forfeited to the Company should not deposit the full amount of specified Security Deposit.
4. The Contractor shall be cooperative with the Company (and there by the staff) in recording measurement of bills etc., as expeditiously as possible and he shall fulfil all the requirements which are necessary to finalize his outstanding bills within 6 months from the date of completion of work, failing which, the Company shall finalize the account on the basic of its records, any payment made to contractor- such amount as it is found due to him- together with the amount of Security Deposit, if any remaining payable to him after deducting therefore, claim from him thereafter. The Competent authority can delete any item in Schedule "B" in the tender, if he feels that the rate quoted by the successful bidder for that item is abnormally high when compared to the estimated rate.

SIGHT EXECUTION TERMS & CONDITIONS

1. The Contractor shall consider the site conditions of underground cable laying work before quoting the offer.
2. Contractor shall have to strictly follow all the instructions, terms and conditions and concerns by the respective Government authorities. The necessary approval/NOC's etc. is to be obtained by the Contractor from concern R & B/NHAI/AUDA & etc. Govt Authority.
3. All materials used shall be of approved/good quality and as per directions and instructions of Engineer- in- Charge.
4. Work under normal land and at DP structure to be carried out as per instructions by Engineer in charge of UGVCL.
5. Looping of cable is to be done in the ground below DP structure by excavating earth and approximately 06 meters of looping to be laid in the excavated earth on both sides. After which the same shall be filled with sand and warning bricks shall be provided on cable for which no extra payment will be made.
6. Cable removing from drums shall be done with proper care as no damage to the power cable normally 11 KV XLPE 3 core cable of size 150 mm² to 240 mm² (any one size) according to availability will be supplied by UGVCL for laying underground work.
7. Where the cable rise from ground to DP structure the each power cable to be taken separately in

4" (100 mm dia) G.I. pipe for mechanical protection of the XLPE cable GI may be kept approximately 4 meters.

8. The Length, quantity and distance mentioned in Schedule is approximate. It can be increased or decreased. The payment will be made as per actual quantity executed.
9. The Contractor will have to provide cable markers made from 3 mm thick MS plate (400 mm x 260 mm) along with the MS angle of 50 mm x 50 mm size at least 1700 mm long and the same shall be painted in Red & White colour with all the necessary instructions written in English, Gujarati & Hindi language clearly painted on it after which the same shall be concreted with the help of cement, sand, aggregate stone and water as per approved drawings.
10. Contractors have to observe the standard norms/rules and regulations of the Road / Railway while laying of cable work under Railway areas, failing which to do so are the responsibility of the Contractor.
11. Empty cable drum to be returned after completion of work, however the site Engineer will issue the required 11 KV XLPE cable for the above work.
12. The Contractor has to ensure that the work would be run smoothly throughout the period of the contract and work should be completed in time.
13. UGVCL, Patan will not be responsible for any loss, damages etc. as a result of the Contract.
14. Any damages to any of the Government / private property during the execution of work shall be on your account and you shall make good the same. Claims arising out of the damages shall have to be borne and settled by you.
15. All the power cable routes shall be carefully measured and the required cable shall be cut to the required length for laying sufficient length, for the final connection of the cable to the terminal of the equipment. Undue wastage shall be avoided.
16. The company shall not be responsible for any kind of accident during the execution of the work by the contractor. The contractor shall have to hold the responsibilities of any accident that occurs during the execution of the work. The contractor shall settle any issue arising out of any occurrence that takes place during execution of the work; on his own.
17. Contractor has to submit feeder map with signature and stamp mentioning the U/G cable work carried out along with location of straight joint and outdoor/indoor kit location to S/dn and one copy to Division Office. Also, the name of the contractor to be written by marker pen on straight joint and outdoor/indoor kit.
18. Work to be carried out in other sub Division under jurisdiction of Patan Division in case of emergency.

**Executive Engineer
Patan**

Contractor's Signature.