



# UGVCL Uttar Gujarat Vij Company Ltd.

CIN – U40102GJ2003SGC042906

KADI KALOL ROAD - DIVISION OFFICE - KADI(N.G.)382 715

PR NO	370121
RFQ NO	52124

ADVERTISED TENDER 09/2018

To,  
M/s \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**NAME OF WORK : Erection of earthed terminal at consumer premises in LT overhead Distribution system for Bechraji Sdn PART-A under Kadi DO**

Estimate cost	Rs 499800/-
Earnest Money	Rs 5000/-
Security Deposit	5% of Tender Value
Last date of online submission oftender /EMD	Date: - 30.01.19 On 15.00 Hrs.
Last date of physical submission of tender	Date :- 30.01.19 On 15.00 Hrs.
Date of opening the tender	Date:- 31.01.19 On 15.00 Hrs. (If Possible )
Type of Tender	Item Rate
Tender Fee	Rs 500+90GST/-
Time Limit	12 month

Earnest money deposit will be accept in cash or Demand Draft on any Schedule Bank at KADI. In favors of UTTAR GUJARAT VIJ COMPANY LIMITED, Cheque or Bank Guarantee will not be accepted.

NOTE:-Tender copy accepted only by R.P.A.D

Supdts.Accounts(Exp)  
U.G.V.C.L. DO KADI

Executive Engineer  
U.G.V.C.L., DO, KADI

**PR- 370121Schedule:-BRFQ-52124**

Sub :- Erection of earthed terminal at consumer premises in LT overhead Distributionsystem for Bechraji Sdn  
PART-A under Kadi DO

Sr No	Description	Unit	Qty	Rate per Unit Rs	Total Amount in Rs
1	2	3	4	5	6
1	<b>Labour charges for providing earth terminal at the consumer premises.</b> <b>Scope of work:-</b> <b>(1) Each earth terminal shall be provided bydigging a pit of 1800mm x 600mm x 600mm. Thepit shall be at least 1200mm far from the nearestsupport. The contractor shall lower the earthing coil/ C I plate provided by the company to the pitand make connection through to the externalterminal of the metering point. The pit will befilled in by alternate layers of wood charcoal and salt cubes each of 30cms till the 1500MM frombottom. Remaining 300mm shall be refilled byearth dug out. The contractor shall have to provideWood charcoal and the salt cubes on his own.</b> <b>(2) This rates are including labor charges andcost of materials such as Saddle- clamps- (nailsscrew)- best quality of PVC transparent pipesleeveproviding on additional open- bare G.I.wire after passing through PVC Rigid pipe etc. asper requirement at site situation to consumerpremises and as per instruction of E-I-C.</b>	NO	1428	350/-	499800/-
	<b>Total Rs. (A)</b>				<b>499800/-</b>
	<b>Bidders offer(+/-) in % (B)</b>				
	<b>Grand Total (C) = A +/- (A*B)</b>				
	<b>Goods and service Tax D= C x GST %</b> <b>GST Rate: ____%</b> <b>SAC Code:</b>				
	<b>Grand Total including GST E= C + D</b>				
	<b>Final Offer in RS.=</b>				
	<b>Final Offer RS. In words</b>				

The Bidder shall quote Firm Price only.The price quoted will not be subject to any escalation till completion of work.The Above prices are inclusive of all taxes,levies Duties etc. except Goods & Service Tax (GST). **GST will be paid extra as applicable from time to time on a given taxable goods and /or services**

**Executive Engineer**  
**U.G.V.C.L. KADI**

Contractor's Name & Signature

## **TERMS AND CONDITIONS FOR PROVIDING TT TYPE EARTHED TERMINAL TO THE LT CONSUMERS**

The contractor shall incorporate the following terms and conditions while providing the TT type earthed terminals at the premises of the existing LT consumers, with spiral (coil)/plate type earthing.

**1)** Tender documents are in two bids system i.e. “**Technical Bid**” and “**Price Bid**”. Bidder has to submit tender in one Envelop and in this two different covers should be put. One cover mentioning **Technical bid** on it & another cover mentioning **Commercial Bid** on it. If we receive envelop that do not have two separate sealed covers than those bids are liable to be rejected. Technical bid should be submitted with documents as under, failing which tender is liable for rejection. Technical bid is to be submitted in a separate sealed envelope and subscribing the envelope as “**Technical Bid**”.

### **Submit Following Documents with Technical Bid.**

Technical Bid should be submitted with documents as under, failing to which tender shall be Liable for rejection.

**(i)** Vendor Registration Certificate as **Class B** as a contractor with UGVCL/any Discom of Gujarat/GETCO/GSEC required

**(ii)** Solvency certificate issued from any Nationalized Bank amounting to sum equivalent of estimated cost **(Minimum 3.00 Lacs)**

**(iii)** Separate EPF code No. allotted by RPFC

**(iv)** Copy of PAN card.

**(v)** For contractors should have carried out erection of HT,LT line & T/C work, he has to produce certificate from concern division, stating that they have carried out work satisfactory. Experience certificate as per requirement for above work by authorized Officer – NOT BELOW THE RANK OF EXECUTIVE ENGINEER - of Distribution Company of Gujarat/GETCO/GSEC.

**(vi)** **Group Insurance – copy of the insurance policy of the insured laborer’s under W.C. Act.**

**(vii)** **Electrical contractor license is required.**

**(viii)** **At least Rs. 8.00 Lacs turn over For last year required in bank Statement.**

**(ix)** Attested copy of power of attorney, if any, for signing the bid documents, if partnership firm/company.

**(x)** GST Tax Registration Number

**(xi)** Tender Fee Amt. & EMD amount & DD No. & Date should be mentioned on Cover of Tender fee & EMD with Technical bid cover.

**(xii)** Tools-Tackles statement.

2. The bidders shall submit their offer without any deviations in general terms and conditions of the contract or in Technical specification/items. Tenders of such deviations may also be rejected. Incomplete and conditional tenders shall not be considered.
3. The rates shall be quoted both in words and figures as per unit specified in schedule-'B' in case of any discrepancy between the rates quoted in words & figures, rate quoted in words will prevail.
4. Intending bidders should submit their tenders after studying all tenders documents carefully and visiting the site for satisfying themselves of actual site conditions, location and accessibility of site and nature, extent of the work involved etc. Submission of tenders implies that bidders have obtained all necessary information and other data required for executing the work.
5. "Price bid" of only qualifying bidders on the basis of Technical bid shall only be opened. Price of bidders, who are not qualified technically as per requirement of technical bid shall not be opened.
6. All the works shall be carried out as per company standard specifications & work quantity may be increase or decrease during actual work within order amount.
7. Tenders, which do not fulfill all or any of the conditions of the tender of incomplete in any respect may liable to rejection.
8. **Executive Engineer,UGVCL Kadi DO, reserves the right to accept or reject any or all tenders without assigning any reason thereof.**
9. Income Tax at prevailing rate will be deducted as per Income Tax Act.
- 10.**The rate shall be excluding of GST tax. GST will be applicable as per UGVCL rule.**
11. Any change in rate of GST Tax shall be entertained during contractual period of contract
12. UGVCL does not accept any responsibility as Factory Act, Minimum Wages Act Workmen's Compensation Act, Insurance Rules etc .or any other act rules or regulations that have to be Observed by the contractor for carrying out the work.
- 13.The contract will be governed by the UGVCL as per works terms and conditions of the UGVCL.  
The contractor will be faulty answerable and responsible for all the material issued to him for the work by the UGVCL any theft and loss or pilferage shall have to be borne by the contractor.
14. Loading Unloading of all materials from division store will be borne by contractor. And Material carting from Division store to site will be borne by contractor.
15. The contractor will be solely responsible for any accident/damage either to equipment's or any Human being during the time of execution of work.

- 16.** All other general terms and conditions as prevailing in the UGVCL shall be applicable to this work Contract.
- 17.** The contractor must engage sufficient knowledgeable person round the clock, exclusively for Execution of work.
- 18.** The contractor has to carry out all the works in accordance with revised and latest provision under I.E .Rule Act (Amended time to time) made there under and as per instruction of Engineer in charge.
- 19.** Tools, Tackles, Manpower, Crane facilities etc. not be provided by the UGVCL.
- 20.** The compliances of all Central/State Govt. Rules, safety and Insurance rules etc. and that of local Body is must conditions for the agency.
- 21.** In case, it is not possible for the contractor to continue the work either due to heavy rains or other Reasonable causes, such facts should be immediately brought to notice of the Engineer In charge. If the reasons for stopping the work are genuine the Engineer In charge may ask the contractor to start the work again as per condition. The period of such stoppage will not be considered as a part of working days moreover the contractor cannot claim compensation for such stoppage..
- 22.** As regard damages to the materials, equipment's, contractor himself will be responsible. If there is any compensation to be paid in respect of "WORKMAN "Compensation Act or any other statutory Provisions, the same will be paid by contractor directly. If he thinks fit, he may take necessary Insurance covering at his cost.
- 23.** Time limit extension will be given if material is not supplied in time and in any case of objection not cleared in time but if materials given in time and there is no any objection, then no time limit Extension will be granted and penalty will be imposed as per rules.
- 24.** The erection work should be carried out according to the specification as per instructions and Programmed laid out by the Engineer in charge. Contractor has to ensure safe shifting and erection of all accessories/equipment's as per standard norms.
- 25.** All the works shall be carried out in accordance with latest rules under Electricity Act.2003(with Amendments). After completion of work execution required Tests are to be taken in presence of Engineer In charge.
- 26.** No higher rate or revised rate will be applicable for the work, if work is held-up/ closed due to whatever so reasons.
- 27.** Penalty clause: in case, the work is not completed within the period stipulated in the sub work order, penalty shall be levied at 0.5 per week on the total sub work order subject to maximum 10 % of respective sub work order
- 28.** If work will not be carried out within time limit of sub work order, work will be carried out by other agency at risk and cost of contractor and the amount will be deducted from respective Bill/SD. SDO is authority to decide the agency for non-completion of work.
- 29.** Successful Bidder is bound to work under any S/Dn of Division Office Kadi in any scheme if require with the same rate, conditions & without any type of extra charges.
- 30.** All terms and Condition of contract of UGVCL in force shall be applicable withoutany prejudice.
- 31.** Before commencement of the work at site, the contractor shall make an approach to the concerned S/D officer for planning of the work and appointing the staff for the supervision of the work.
- 32.** The lower end of the earthing coil/ plate shall be buried such that it remains at 1800 mm minimum to enhance the earthing quality. In general, the earthing pit shall be of 600 x 600 mm and depth 1800 mm minimum.

**33.** Contractor shall proclaim in written regarding his procedure of earthing clearly stating whether coil type or plate type earthing. The rates quoted by him shall be in accordance to his proclamation. The authority reserves all the rights for considering the type of earthings and the rates quoted. The other end, i.e., the lead wire shall be connected to the earth terminal of meter box with a standard earthing split bolt of G.I. approved by E.I.C.

**34.** A high quality work shall be carried out with the aesthetic look of entire installation. All the connections shall be given after cleaning the surface properly using sand paper and shall be properly tightened. The bends, if any, shall be steep and set at non disturbing place.

**35.** There shall not be more than one joint in the line of earthing coil/ plate and the lead wire, to be connected to the earth terminal of the system. In case of plate type earthing, the standard earthing bolt shall be provided at both the end of lead wire i.e. one with the CI earthing plate/ coil and other with the earth terminal of the meter box.

**36.** The contractor shall make arrangement to pour the water sufficiently in the earthing pit to keep the soil surrounding the earthing coil/ plate moist.

**37.** While working in the areas with population and the movement of the people, all due care and precautions shall be taken by the contractor, so as there should be no mishap like falling a person or an animal in the pit. In case of any accident arising out of working by the contractor, the company shall not remain responsible. The contractor shall have to shoulder any moral / legal responsibility arising out - on his own.

**38.** In case of any issue / dispute, the contractor shall consult the proper legitimate authority. If needed, the concerned S/D officer shall be informed of the same.

**39.** The work should be done as per as REC standard.

**40.** The work should be executed in presence of Representative of UGVCL/Deputy Engineer of SDO.

**41.** Successful Bidder is bound to work under any S/Dn of Division Office Kadi in any scheme if required with the same rate, conditions & without any type of extra charges

**42.** All legal complication of disputes is subject to KADI JURISDICTION ONLY

**Signature of Contractors**

**Executive Engineer**  
UGVCL, KADI Division