DEVELOPMENT OF DISTRIBUTION INFRASTRUCTURE AT MEHSANA District of GUJARAT State UNDER REVAMPED REFORMS-BASED AND RESULTS-LINKED, DISTRIBUTION SECTOR SCHEME (Schedule of rates and prices)

Ex-works supply of materials

Bidder's Name & Address:

All prices in Indian Rupees

Price Bid (Supply Portion) **Unit Price for inland Total Price for inland** transportation and other transportation and other GST payable on the price GST payable on the price Unit Ex-Total Ex-works services required in India services required in India quoted if Contract is quoted if Contract is Total Price per line item Line Item Description Unit Qty works price price awarded (Amount) to convey the Goods to to convey the Goods to awarded (%) their final destination their final destination Augmentation, Renovation & Modernisation of 11/0.4 kV Distribution Transformer Substation (Augmentation of Distribution Transformer Substation (ASSUMING 25 YEARS OF LIFE AND 10 YEARS A (I) IN SERVICE) using New Distribution Transformer (three star) as per technical specifications, approved drawings and scope of the work. Replaced material to be deposited in Employer's store) 1.01 New 100 KVA (11/0.4 kV) Aluminium wound DTR (Replacing 63 KVA old DTR). No 130 75 0.00 0.00 18.00% 0.00 0.00 1.02 New 200 KVA (11/0.4 kV) Aluminium wound DTR (Replacing 100 KVA old DTR), Nο 0.00 18 00% A(II) 11kV Crossing Removal (Safety) 11kV Crossing with associated activities and quantities as per separately attached Bill of Quantities and as per 2.01 kM 15,986 0.00 0.00 18.00% 0.00 0.00 technical specification, approved drawings and scope of work A (III) 11kV New Feeder / Feeder Bifurcation 11kV New Feeder / Feeder Bifurcation having 6/4.72 mm+7/1.57 mm (100 mm² Al. Area) - Dog with associated 3.70 3.01 0.00 0.00 18.00% 0.00 0.00 activities and quantities as per separately attached Bill of Quantities and as per technical specification, approved 11kV New Feeder / Feeder Bifurcation having AL.Alloy Conductor 55mm2 Size with associated activities and quantities 3.02 as per separately attached Bill of Quantities and as per technical specification, approved drawings and scope of work 16.50 0.00 0.00 18.00% 0.00 0.00 Supply of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed 3.03 8,568 0.00 0.00 18.00% 0.00 0.00 specification for normal laying work with as per technical specification, approved drawings and scope of work as well as attached bill of quantities. Supply of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification with HDPE ducts confirming to IS:4984 having dia OD 120mm, 6kg/cm2, 11.63 kg/6 RMT at a minimum 6,920 0.00 0.00 18.00% 0.00 0.00 3.04 depth of 1200mm below the road surface by pushthrough method with as per technical specification, approved drawings and scope of work as well as attached bill of quantities. Supply of 11 KV LINE FOR UNDER GROUND RAILWAY CROSSING BY 2 Nos (INCLUDING ONE SPARE) 3Cx185 3.05 0.00 0.00 18.00% 0.00 0.00 Sqmm XLPE Armoured Cable (0.3 km each) as per technical specification, approved drawings and scope of work as well as bill of quantities A (IV) Maintenance free, Ready capsule, Pipe-in-cage (PiC) type earthing Maintenance free, Ready capsule, Pipe-in-cage (PiC) type earthing and connections to the various parts of transformer 4.01 center using GI Strip and GI Nut Bolts as per technical specification, approved drawings and scope of work with 4218 0.00 0.00 18 00% 0.00 0.00 associated activities and quantities as per separately attached Bill of Quantities Interlinking of 11kV Feeder (Reliability) A (V) Supply of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed 4,303 5.01 specification for normal laying work with as per technical specification, approved drawings and scope of work as wel 0.00 0.00 18 00% 0.00 0.00 as attached bill of quantities. Supply of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification with HDPE ducts confirming to IS:4984 having dia OD 120mm, 6kg/cm2, 11.63 kg/6 RMT at a minimum 5.02 2,368 0.00 0.00 18 00% 0.00 0.00 depth of 1200mm below the road surface by pushthrough method with as per technical specification, approved drawings and scope of work as well as attached bill of quantities. RMU: Supply of 3 Isolator (3-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains 7 5.03 18 00% 0.00 Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and 0.00 0.00 0.00 quantities as per separately attached Bill of Quantities. RMU: Supply of 1 Circuit Breaker 2 Isolator (3-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA 5.04 0.00 0.00 18.00% 0.00 0.00 compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities. RMU: Supply of 1 Circuit Breaker 3 Isolator (4-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA 5.05 1 0.00 0.00 18.00% 0.00 0.00 compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with Nο ociated activities and quantities as per separately attached Bill of Quantities

DEVELOPMENT OF DISTRIBUTION INFRASTRUCTURE AT MEHSANA District of GUJARAT State UNDER REVAMPED REFORMS-BASED AND RESULTS-LINKED, DISTRIBUTION SECTOR SCHEME (Schedule of rates and prices)

Ex-works supply of materials

Bidder's Name & Address:

All prices in Indian Rupees

Α	Price Bid (Supply Portion)									
Line Item	Description	Unit	Qty	Unit Ex- works price	Total Ex-works price	Unit Price for inland transportation and other services required in India to convey the Goods to their final destination	Total Price for inland transportation and other services required in India to convey the Goods to their final destination	GST payable on the price quoted if Contract is awarded (%)	GST payable on the price quoted if Contract is awarded (Amount)	Total Price per line iter
A (VI)	Overhead to Underground Electrification Network having associated activities like laying of 11kV XLPE Cable, Ring Main Units, Distribution Transformers etc. as per Bill of Quantity									
6.01	Supply of 11 KV_(E),XIPE insulated Aluminium Conductor, Armoured cable 3 ore 185 sq. mm. as per enclosed specification for normal laying work with as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	kM	54.520		0.00		0.00	18.00%	0.00	0.00
6.02	Supply of 11 kV/(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification with HDPE ducts confirming to 15:4984 having dia OD 120mm, 6kg/cm2, 11.63 kg/6 RMT at a minimum depth of 1200mm below the road surface by pushthrough method with as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	kM	198.600		0.00		0.00	18.00%	0.00	0.00
6.03	Supply of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 240 sq. mm. as per enclosed specification for normal laying work with as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	kM	3.90		0.00		0.00	18.00%	0.00	0.00
6.04	Supply of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 240 sq. mm. as per enclosed specification with HDPE ducts confirming to IS:4984 having dia OD 120mm, 6kg/cm2, 11.63 kg/6 RMT at a minimum depth of 1200mm below the road surface by pushthrough method with as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	kM	7.70		0.00		0.00	18.00%	0.00	0.00
6.05	Supply of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable as per enclosed specification 3 core 70 sq. mm. for TC termination (RMU to TC) as per technical specification, approved drawings and scope of work as well as per attached bill of quantities	kM	24.00		0.00		0.00	18.00%	0.00	0.00
6.06	Providing of XLPE(IS:7098) (I)-88 ISI marked multistrand Aluminium conductor armoured cable for 1.1 kV to be laid on pole with HDPE pipe with damping or in ground as wlell as existing cable trench/pipe at road crossing of 1C x 300 Sq MM, as per technical specification, approved drawings and scope of work as well as attached bill of quantities	kM	113.50		0.00		0.00	18.00%	0.00	0.00
6.07	RMU: Supply of 2 Isolator (2-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Ouantities.	No	53		0.00		0.00	18.00%	0.00	0.00
6.08	RMU: Supply of 3 Isolator (3-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	79		0.00		0.00	18.00%	0.00	0.00
6.09	RMU: Supply of 1 Circuit Breaker 2 Isolator (3-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and uantities as per separately attached Bill of Quantities.	No	656		0.00		0.00	18.00%	0.00	0.00
6.10	RMU: Supply of 1 Circuit Breaker 3 Isolator (4-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and cuantities as or separately attached Bill of Ouantities.	No	223		0.00		0.00	18.00%	0.00	0.00
6.11	RMU: Supply of 4 Isolator (4-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	83		0.00		0.00	18.00%	0.00	0.00
6.12	RMU: Supply of 2 Circuit Breaker 2 Isolator (4-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Ountities.	No	25		0.00		0.00	18.00%	0.00	0.00
6.13	Transformer: Supply of 11/0.433 kV, 100 kVA, Alunium Wound CRGO / Amorphous Core Outdoor Transformers with HV/LV cable end boxes and CTs commissioned at LV end boxes for the following ratings [Transformer shall be suitable for pole mounting upto 315 kVA and Plinth mounting for 500 kVA (including plinth structure)] as per standard technical specifications with associated activities and quantities as per separately attached Bill of Quantities.	No	494		0.00		0.00	18.00%	0.00	0.00
6.14	Transformer: Supply of 11/0.433 kV, 200 kVA, Alunium Wound CRGO / Amorphous Core Outdoor Transformers with HY/LV cable end boxes and CTs commissioned at LV end boxes for the following ratings [Transformer shall be suitable for pole mounting upto 315 kVA and Plinth mounting for 500 kVA (including plinth structure)] as per standard technical specifications with associated activities and quantities as per separately attached Bill of Quantities.	No	248		0.00		0.00	18.00%	0.00	0.00
6.15	Transformer: Supply of 11/0.433 kV, 315 kVA, Copper Wound CRGO / Amorphous Core Outdoor Transformers with HV/LV cable end boxes and CTs commissioned at LV end boxes for the following ratings [Transformer shall be suitable for pole mounting upto 315 kVA and Plinth mounting for 500 kVA (including plinth structure) as per standard technical specifications with associated activities and quantities as per separately attached Bill of Quantities.	No	54		0.00		0.00	18.00%	0.00	0.00
6.16	Transformer: Supply of 11/0.433 kV, 500 kVA, Copper Wound CRGO / Amorphous Core Outdoor Transformers with HV/LV cable end boxes and CTs commissioned at LV end boxes for the following ratings (Transformer shall be suitable for pole mounting upto 315 kVA and Plinth mounting for 500 kVA (including plinth structure)] as per standard technical specifications with associated activities and quantities as per separately attached Bill of Quantities.	No	19		0.00		0.00	18.00%	0.00	0.00
	Total Ex-works			-	0.00		0.00		0.00	0.00

Note:

Schedule-2

DEVELOPMENT OF DISTRIBUTION INFRASTRUCTURE AT MEHSANA District of GUJARAT State UNDER REVAMPED REFORMS-BASED AND RESULTS-LINKED, DISTRIBUTION SECTOR SCHEME (Schedule of rates and prices)

Bidder's Name & Address:

•	n / Erection Charges : All prices in Indian Rupees						
В	Price Bid (Installation / Erection Portion)						
Service No.	Description of Related Services (excludes inland transportation and other services required in India to convey the goods to their final destination)	Unit	Quantity	Unit price	GST payable on the price quoted if Contract is awarded (%)	GST payable on the price quoted if Contract is awarded (Amount)	Total Price per line item
1	2	3	4	5	6	7	8
A (I)	Augmentation, Renovation & Modernisation of 11/0.4 kV Distribution Transformer Substation (Augmentation of Distribution Transformer Substation (ASSUMING 25 YEARS OF LIFE AND 10 YEARS IN SERVICE) using New Distribution Transformer (three star) as per technical specifications, approved drawings and scope of the work. Replaced material to be deposited in Employer's store)						
1.01	Installation of New 100 KVA (11/0.4 kV) Aluminium wound DTR (Replacing 63 KVA old DTR),	No	130		18.00%	0.00	0.00
1.02	Installation of New 200 KVA (11/0.4 kV) Aluminium wound DTR (Replacing 100 KVA old DTR),	No	75		18.00%	0.00	0.00
A (II)	11kV Crossing Removal (Safety)						
2.01	Into Crossing Removal (Salety) Installation, Testing & commissioning of 11kV Crossing with associated activities and quantities as per separately attached Bill of Quantities and as per technical specification, approved drawings and scope of work	kM	15.986		18.00%	0.00	0.00
A (III)	11kV New Feeder / Feeder Bifurcation						
3.01	Installation of 11kV New Feeder / Feeder Bifurcation having 6/4.72 mm+7/1.57 mm (100 mm ² Al. Area) - Dog with associated activities and quantities as per separately attached Bill of Quantities and as per technical specification, approved drawings and scope of work	kM	3.70		18.00%	0.00	0.00
3.02	Installation of 11kV New Feeder / Feeder Bifurcation having AL.Alloy Conductor 55mm ² Size with associated activities and quantities as per separately attached Bill of Quantities and as per technical specification, approved drawings and scope of work	kM	16.50		18.00%	0.00	0.00
3.03	Installation, Testing & commissioning of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification for normal laying work with as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	kM	8.568		18.00%	0.00	0.00
3.04	Installation, Testing & commissioning of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification with HDPE ducts confirming to IS:4984 having dia OD 120mm, 6kg/cm2, 11.63 kg/6 RMT at a minimum depth of 1200mm below the road surface by pushthrough method by drilling the road with HDD machine without breaking the road surface for laying of cable for internal road crossing for enclosing HT/LT XLPE insulated aluminum armoured cable up to 240 sqmm through the duct as per the instructions of EIC as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	kM	6.920		18.00%	0.00	0.00
3.05	Installation, Testing & Commissioning of 11 KV LINE FOR UNDER GROUND RAILWAY CROSSING BY 2 Nos (INCLUDING ONE SPARE) 3Cx185 Sqmm XLPE Armoured Cable (0.3 km each) as per technical specification, approved drawings and scope of work as well as bill of quantities	No	3		18.00%	0.00	0.00

Schedule-2

DEVELOPMENT OF DISTRIBUTION INFRASTRUCTURE AT MEHSANA District of GUJARAT State UNDER REVAMPED REFORMS-BASED AND RESULTS-LINKED, DISTRIBUTION SECTOR SCHEME (Schedule of rates and prices)

Bidder's Name & Address:

	on / Erection Charges : All prices in Indian Rupees							
В	Price Bid (Installation / Erection Portion)							
Service No.	Description of Related Services (excludes inland transportation and other services required in India to convey the goods to their final destination)	Unit	Quantity	Unit price	GST payable on the price quoted if Contract is awarded (%)	GST payable on the price quoted if Contract is awarded (Amount)	Total Price per line item	
1	2	3	4	5	6	7	8	
A (IV)	Maintenance free, Ready capsule, Pipe-in-cage (PiC) type earthing							
4.01	Erection, testing and Commissioning of Maintenance free, Ready capsule, Pipe-in-cage (PiC) type earthing and connections to the various parts of transformer center using GI Strip and GI Nut Bolts as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities	No	4218		18.00%	0.00	0.00	
A (V)	Interlinking of 11kV Feeder (Reliability)							
5.01	Installation, Testing & commissioning of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification for normal laying work with as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	kM	4.303		18.00%	0.00	0.00	
5.02	Installation, Testing & commissioning of 11 kV,(E), XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification with HDPE ducts confirming to IS:4984 having dia OD 120mm, 6kg/cm2, 11.63 kg/6 RMT at a minimum depth of 1200mm below the road surface by pushthrough method by drilling the road with HDD machine without breaking the road surface for laying of cable for internal road crossing for enclosing HT/LT XLPE insulated aluminum armoured cable up to 240 sqmm through the duct as per the instructions of EIC as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	kM	2.368		18.00%	0.00	0.00	
5.03	RMU: Installation, Testing & Commissioning of 3 Isolator (3-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	7		18.00%	0.00	0.00	
5.04	RMU: Installation, Testing & Commissioning of 1 Circuit Breaker 2 Isolator (3-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	55		18.00%	0.00	0.00	
5.05	RMU: Installation, Testing & Commissioning of 1 Circuit Breaker 3 Isolator (4-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	1		18.00%	0.00	0.00	

DEVELOPMENT OF DISTRIBUTION INFRASTRUCTURE AT MEHSANA District of GUJARAT State UNDER REVAMPED REFORMS-BASED AND RESULTS-LINKED, DISTRIBUTION SECTOR SCHEME (Schedule of rates and prices)

Bidder's Name & Address:

	/ Erection Charges: All prices in Indian Rupees							
В	Price Bid (Installation / Erection Portion)							
Service No.	Description of Related Services (excludes inland transportation and other services required in India to convey the goods to their final destination)	Unit	Quantity	Unit price	GST payable on the price quoted if Contract is awarded (%)	GST payable on the price quoted if Contract is awarded (Amount)	Total Price per line item	
1	2	3	4	5	6	7	8	
A (VI)	Overhead to Underground Electrification Network having associated activities like laying of 11kV XLPE Cable, Ring Main Units, Distribution Transformers etc. as per Bill of Quantity							
6.01	Installation, Testing & commissioning of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification for normal laying work with as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	kM	54.52		18.00%	0.00	0.00	
6.02	Installation, Testing & commissioning of 11 kV,(E), XLPE insulated Aluminium Conductor, Armoured cable 3 core 185 sq. mm. as per enclosed specification with HDPE ducts confirming to IS:4984 having dia OD 120mm, 6kg/cm2, 11.63 kg/6 RMT at a minimum depth of 1200mm below the road surface by pushthrough method by drilling the road with HDD machine without breaking the road surface for laying of cable for internal road crossing for enclosing HT/LT XLPE insulated aluminum armoured cable up to 240 sqmm through the duct as per the instructions of EIC as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	kM	198.600		18.00%	0.00	0.00	
6.03	Installation, Testing & commissioning of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 240 sq. mm. as per enclosed specification for normal laying work with as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	kM	3.9		18.00%	0.00	0.00	
6.04	Installation, Testing & commissioning of 11 kV,(E),XLPE insulated Aluminium Conductor, Armoured cable 3 core 240 sq. mm. as per enclosed specification with HDPE ducts confirming to IS:4984 having dia OD 120mm, 6kg/cm2, 11.63 kg/6 RMT at a minimum depth of 1200mm below the road surface by pushthrough method by drilling the road with HDD machine without breaking the road surface for laying of cable for internal road crossing for enclosing HT/LT XLPE insulated aluminum armoured cable up to 240 sqmm through the duct as per the instructions of EIC as per technical specification, approved drawings and scope of work as well as attached bill of quantities.	kM	7.70		18.00%	0.00	0.00	
6.05	Installation, Testing & commissioning of 11 kV,(E), XLPE insulated Aluminium Conductor, Armoured cable as per enclosed specification 3 core 70 sq. mm. for TC termination (RMU to TC) as per technical specification, approved drawings and scope of work.	kM	24		18.00%	0.00	0.00	
6.06	Erecting of XLPE(IS:7098) (I)-88 ISI marked multistrand Aluminium conductor armoured cable for 1.1 kV to be laid on pole with HDPE pipe with clamping or in ground as wlell as existing cable trench/pipe at road crossing of 1C x 300 Sq MM, as per technical specification, approved drawings and scope of work.	kM	113.5		18.00%	0.00	0.00	
6.07	RMU: Installation, Testing & Commissioning of 2 Isolator (2-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	53		18.00%	0.00	0.00	
6.08	RMU: Installation, Testing & Commissioning of 3 Isolator (3-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	79		18.00%	0.00	0.00	

DEVELOPMENT OF DISTRIBUTION INFRASTRUCTURE AT MEHSANA District of GUJARAT State UNDER REVAMPED REFORMS-BASED AND RESULTS-LINKED, DISTRIBUTION SECTOR SCHEME (Schedule of rates and prices)

Bidder's Name & Address:

B P	Price Bid (Installation / Erection Portion)			ulali Rupees			
Service No.	Description of Related Services (excludes inland transportation and other services required in India to convey the goods to their final destination)	Unit	Quantity	Unit price	GST payable on the price quoted if Contract is awarded (%)	GST payable on the price quoted if Contract is awarded (Amount)	Total Price per line item
1	2	3	4	5	6	7	8
6.09	RMU: Installation, Testing & Commissioning of 1 Circuit Breaker 2 Isolator (3-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	656		18.00%	0.00	0.00
6.10	RMU: Installation, Testing & Commissioning of 1 Circuit Breaker 3 Isolator (4-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	223		18.00%	0.00	0.00
6.11	RMU: Installation, Testing & Commissioning of 4 Isolator (4-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	83		18.00%	0.00	0.00
6.12	RMU: Installation, Testing & Commissioning of 2 Circuit Breaker 2 Isolator (4-Way) SF6 gas insulated, 630Amp both sides extensible, SCADA compatible Ring Mains Units (RMU) as per technical specification, approved drawings and scope of work with associated activities and quantities as per separately attached Bill of Quantities.	No	25		18.00%	0.00	0.00
6.13	Transformer: Installation, Testing & Commissioning of 11/0.433 KV, 100 kVA, Alunium Wound CRGO / Amorphous Core Outdoor Transformers with HV/LV cable end boxes and CTs commissioned at LV end boxes for the following ratings [Transformer shall be suitable for pole mounting upto 315 kVA and Plinth mounting for 500 kVA (including plinth structure)] as per standard technical specifications with associated activities and quantities as per separately attached Bill of Ouantities.	No	494		18.00%	0.00	0.00
6.14	Transformer: Installation, Testing & Commissioning of 11/0.433 KV, 200 kVA, Alunium Wound CRGO / Amorphous Core Outdoor Transformers with HV/LV cable end boxes and CTs commissioned at LV end boxes for the following ratings [Transformer shall be suitable for pole mounting upto 315 kVA and Plinth mounting for 500 kVA (including plinth structure)] as per standard technical specifications with associated activities and quantities as per separately attached Bill of Quantities.	No	248		18.00%	0.00	0.00
6.15	Transformer: Installation, Testing & Commissioning of 11/0.433 KV, 315 kVA, Copper Wound CRGO / Amorphous Core Outdoor Transformers with HV/LV cable end boxes and CTs commissioned at LV end boxes for the following ratings [Transformer shall be suitable for pole mounting upto 315 kVA and Plinth mounting for 500 kVA (including plinth structure)] as per standard technical specifications with associated activities and quantities as per separately attached Bill of Quantities.	No	54		18.00%	0.00	0.00
6.16	Transformer: Installation, Testing & Commissioning of 11/0.433 KV, 500 kVA, Copper Wound CRGO / Amorphous Core Outdoor Transformers with HV/LV cable end boxes and CTs commissioned at LV end boxes for the following ratings [Transformer shall be suitable for pole mounting upto 315 kVA and Plinth mounting for 500 kVA (including plinth structure)] as per standard technical specifications with associated activities and quantities as per separately attached Bill of Quantities.	No	19		18.00%	0.00	0.00
	Total					0.00	0.00

Schedule-3

DEVELOPMENT OF DISTRIBUTION INFRASTRUCTURE AT MEHSANA District of GUJARAT State UNDER REVAMPED (GRAND SUMMARY)

Bidder's Name and Address:

Sl. No.	Description	Total Price (Rs.)
1	TOTAL SCHEDULE NO. 1	
	Plant and Equipment	0.00
2	TOTAL SCHEDULE NO. 2	•
	Installation / Erection Charges	0.00
3	TOTAL [1+2]	0.00
4	Discount offerred by Bidder(If any)	
		0.00
5	Schedule No 3: GRAND TOTAL [3 - 4]	

Date:	Signature:	
Place:	Printed Name:	
	Designation:	
	Common Soals	

DEVELOPMENT OF DISTRIBUTION INFRASTRUCTURE AT MEHSANA District of GUJARAT State UNDER REVAMPED REFORMS-BASED AND RESULTS-LINKED, DISTRIBUTION SECTOR SCHEME

Bidder's Name and Address (Sole Bidder):	To:
	XXXX (Name and Address of Employer)
Name:	
Address:	

Dear Sir,

We declare that the ratings, performance figures and availability of the system furnished by us for subject Package covered under this specification are guaranteed by us. We further declare that in the event of any deficiencies in meeting the guarantees in respect of the characteristics mentioned below as established after conducting the factory test, you may at your discretion, reject or accept the equipment after assessing the liquidated damages as specified in the relevant clauses of Bid document.

	Guaranteed losses at rated output (KW per unit)					
Equipment	Copper/Aluminium Loss at 75 degree C at rated current	Iron loss at rated voltage and frequency				
Distribution Transformers: (For Replacement / Augmentation of Overhead Transformer & for OH to UG Distribuiton Networ						
63KVA, 11/0.433kV, 3ph	/A, 11/0.433kV, 3ph					
100KVA, 11/0.433kV, 3ph						
200KVA, 11/0.433kV, 3ph						
315KVA, 11/0.433kV, 3ph						
500KVA, 11/0.433kV, 3ph						

(Signature)

(Printed Name)

Date : -- (Designation)

Place : (Common Seal)